UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,888,853 B1 Page 1 of 16

APPLICATION NO.: 09/786742
DATED: May 3, 2005
INVENTOR(S): Heinrich Jurgensen

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The Title page should be deleted and substituted with the attached title page.

Title page,

Item [56], References Cited, substitute the following references:

-- U.S. PATENT DOCUMENTS

3,931,458 A * 1/1976	Dini	358/3 29
RE32,139 E * 5/1986	Taudt et al	
4,729,037 A * 3/1988	Doelves	
5,084,882 A 1/1992	Hughes	
5,202,893 A * 4/1993	Kubota et al	
5,337,325 A 8/1994	Hwang	
5,363,233 A * 11/1994	Pernick	
5,369,66 1 A * 11/1994		
5,373,526 A * 12/1994		
5,396,506 A 3/1995	Ball	
5,416,298 A 5/1995	Roberts	
5,430,816 A 7/1995	Furuya et al	
5,654,125 A 8/1997	Fan et al.	
5,694,408 A 12/1997	Bott et al	
5,719,009A * 2/1998	Fan	
5,760,880 A 6/1998	Fan et al.	
5,780,200 A * 7/1998	Kitaguchi et al	
5,798,202 A * 8/1998	Cushner et al	
5,829,881 A * 11/1998	Furlani et al	
5,867,305 A * 2/1999	Waarts et al	
5,900,109 A * 5/1999	Sanders et al	
5,949,466 A * 9/1999	Kerr et al	
5,953,036 A * 9/1999	Furlani et al	
6,106,627 A * 8/2000	Yializis	
6,136,375 A * 10/2000	Bressler et al	
6,167,075 A * 12/2000	Craig et al	-
6,283,022 B1 * 9/2001	Kamen et al	
		

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

: 6,888,853 B1

Page 2 of 16

DATED

APPLICATION NO.: 09/786742

INVENTOR(S)

: May 3, 2005 : Heinrich Jurgensen

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title	page	(cont	(d)	Į,
`			_	

This page (com a),		
		FOREIGN PATENT DOCUMENTS
DE	1 927 323	5/1969
EP	0 041 241	12/1981
GB	2 154 364	9/1985
EP	0 473 973 B1	3/1992
WO	95/16294	6/1995
DE	195 11 393	10/1996
DE	196 03 111	8/1997
EP	0 741 335	10/2000

OTHER PUBLICATIONS

Optik und Atomphysik"; R. W. Pohl; 13, Auflage; Springer Verlag 1976: Sete 13; Abb

Lehrbuch der Experimentalphysik, Band III, Optik: 1 Bergmann-Schaefer; 7. Auflage; De Gruyter 1978 Seite 152

Schnelles Elektronenstrahlgravierverfahren zur Gravur von Metallzylindern; W.

Boppel; aus Optik 77; No. 2; 1987; Seiten 83-92

Lehrbuch Optik; Klein und Furtak: Springer 1988; Seiten 140-141

Laser in der Druckindustire; Werner Hülsbusch, Konstanz; Seite 4341; Abb. 7-28 etc. 1990

Fiber Technology Ushers In New Laser Devices – Feature: Fiber Lasers May 1991 Laser Focus World-pp. 231-238.

Leistungsskalierun von Faserlasern; Fachbereich Physik der UNI Hannover; Dipl-Phys. Zellmer: 1996

Direktes Lasergravierverfahren für metallbeschichtete Tiefdruckzylinder" Dr. phil. Nat Jacob Frauchinger, MDC Max Dätwyler AG, Darmstadt; 12. Dez. 1996

Schäfer & Kirchoff Opto-Sensorik Und Messtechnik – January 1997

Katalog Fa IPG Laser GmbH; D-57299 Burbach; (IRE-Polus Group); 1997

Gesamtkatalog G3; Best j- Nr. 650020; Fa. Laser Spindler & Hoyer, Göttlingen; Seiten F16-F33; Seite G16; Seiten K16 und K17

Optimization of micro channel heal sinks for high power diode laser in copper technology; SPIE Proceedings Vol 3097, 1997

1998 Semiconductor Laser Product Catalog-SDL Copyright 1997 SDL, Inc. pp. 40-45

*	cited	hν	exam	iner
	OHOU	υy	CAGIII	ши

UNITED STATES PATENT AND TRADEMARK OFFICE **CERTIFICATE OF CORRECTION**

PATENT NO.

: 6,888,853 B1

Page 3 of 16

DATED

APPLICATION NO.: 09/786742

INVENTOR(S)

: May 3, 2005 : Heinrich Jurgensen

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page (cont'd),

Drawings,

Replace Figures 1, 3, 5, 6, 11, 24, 25, 26, 28, 29, 31, and 34 with the attached Figures 1, 3, 5, 6, 11, 24, 25, 26, 28, 29, 31, and 34 as shown on the attached pages.

This certificate supersedes Certificate of Correction issued November 15, 2005.

Signed and Sealed this

Tenth Day of October, 2006

JON W. DUDAS Director of the United States Patent and Trademark Office

US006888853B1

(12) United States Patent Jürgensen

(10) Patent No.:

5,654,125 A

US 6,888,853 B1

8/1997 Fan et al. 430/306

(45) Date of Patent:

May 3, 2005

(54)	LASER F	ADIATION SOURCE
(75)	Inventor:	Heinrich Jürgensen, Raisdorf (DE)
(73)	Assignœ:	Hell Gravure Systems GmbH, Kicl (DE)
(*)	Notice:	Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
(21)	Appl. No.:	, 09/786,742
(22)	PCT Filed	Sep. 1, 1999
(86)	PCT No.:	PCT/DE99/02721
	§ 371 (c)(1 (2), (4) Da), tc: Sep. 14, 2001
(87)	PCT Pub.	No.: WO00/13839
	PCT Pub.	Date: Mar. 16, 2000
(30)	Forei	gn Application Priority Data
Seq	a. 8, 1998	(DE) 198 40 926
(51)	Int. Cl. ⁷	H01S 3/067 ; B41F 9/00; G03F 7/00; B41J 2/435
(52)	U.S. Cl 101/1	
(58)		earch

5,719,009 A • 2/19	98 Fan 430/306
5,760,880 A 6/19	98 Fan et al 355/67
5,780,200 A * 7/19	98 Kitaguchi et al 430/270.1
5,798,202 A * 8/19	98 Cushner et al 430/306
5,829,881 A * 11/19	98 Furlani et al 384/42
5,867,305 A * 2/199	99 Waarts et al 359/341
5,900,109 A * 5/19	99 Sanders et al 156/552
5,949,466 A • 9/19	99 Kerr et al 347/213
5,953,036 A • 9/19	99 Furlani et al 347/139
6,106,627 A * 8/20	00 Yializis 118/724
6,136,375 A * 10/20	00 Bressler et al 427/277
6,167,075 A * 12/200	00 Craig et al 372/75
6,283,022 B1 * 9/200	01 Kamen et al 101/129

FOREIGN PATENT DOCUMENTS

EP

10/2000

OTHER PUBLICATIONS

Fiber Technology Ushers In New Laser Devices—Feature: Fiber Lasers May 1991 Laser Focus World—pp. 231-238. 1998 Semiconductor Laser Product Catalog—SDL Copyright 1997 SDL, Inc. pp. 40-45.

* cited by examiner


Primary Examiner—Don Wong
Assistant Examiner—James Menefee
(74) Attorney, Agent, or Firm—Schiff Hardin LLP

(57) ABSTRACT

0 741 335

A system and method for selectively process material on a processing surface of a printing form to create a fine structure or pattern for images or text. At least one fiber laser comprising a pump source and a laser fiber is provided. A laser gun is mounted adjacent the printing form and has at least a focusing optics. The fiber laser outputs a laser beam which is diffraction-limited to permit the focusing optics to focus the laser beam onto the processing surface of the printing form as a spot having a spot size sufficiently small to process the processing surface to create the fine structure or pattern images or text.

296 Claims, 39 Drawing Sheets




(56)

References Cited


U.S. PATENT DOCUMENTS

3,931,458 A	• 1/1976	Dini 358/3.29
RE32,139 E	* 5/1986	Taudt et al 358/524
4,729,037 A	* 3/1988	Doelves 358/3.29
5,202,893 A	• 4/1993	Kubota et al 372/34
5,363,233 A	• 11/1994	Pernick 359/316
		Yamaguchi et al 372/69
		Lam et al 372/69



May 3, 2005 Sheet 11 of 39

6,888,853 B1








Fig. 8a



Sheet 28 of 39




PROCESSING TRACK


Fig. 35

May 3, 2005

Sheet 29 of 39

6,888,853 B1





May 3, 2005

Sheet 31 of 39

6,888,853 B1

PROCESSING TRACK




Fig. 37

May 3, 2005

Sheet 34 of 39

6,888,853 B1




Fig. 40




Fig. 40a





Fig. 40b






Fig. 40d

